GHS

Printing date 20.08.2013

Revision: 04.02.2018



Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH I Health = 0 FIRE I Fire = 1 REACTIVITY | Reactivity =

# FIRE 1 Fire = 1 REACTIVITY 0 Reactivity = 0

# · HMIS Long Term Health Hazard Substances

14808-60-7 quartz (non-respirable forms only)

13463-67-7 titanium dioxide

2.3 Other hazards

#### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

# **3** Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| CAS: 1332-58-7             | Kaolin  | 25-50% |
|----------------------------|---|--------|
|                            | substance with a Community workplace exposure limit     |        |
| CAS: 68527-27-5            | Naphtha (petroleum), full-range alkylate,butane-contg.  | <10%   |
| EINECS: 271-267-0          | 🗙 Xn R65  |        |
| Index number: 649-282-00-2 | 0-2 Carc. Cat. 2, Muta. Cat. 2                          |        |
|                            | 🚯 Asp. Tox. 1, H304                                     |        |
| CAS: 97488-94-3            | Kerosine (petroleum), solvent-refined hydrodesulfurized | <10%   |
| EC number: 307-033-2       | 🗙 Xn R65  |        |
| Index number: 649-430-00-6 | 🚸 Asp. Tox. 1, H304                                     |        |
| CAS: 68551-17-7            | Odorless mineral spirits                                | <10%   |
| EINECS: 271-336-9          | 🗙 Xn R65  |        |
|                            | 🚯 Flam. Liq. 3, H226                                    |        |
|                            | 🚯 Asp. Tox. 1, H304                                     |        |
| CAS: 14808-60-7            | quartz (non-respirable forms only)                      | <10%   |
|                            | substance with a Community workplace exposure limit     |        |
|                            | N-Tallow Trimethylenediamine Oleates                    | <10%   |
|                            | Xi R36  |        |
| CAS: 13463-67-7            | titanium dioxide  | <10%   |
| EINECS: 236-675-5          |   |        |

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

• 4.1 Description of first aid measures

· General information: Take affected persons out into the fresh air.

(Contd. on page 3)

GHS

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

(Contd. of page 2)

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

#### • 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders.

Thirst

Dizziness

· Hazards No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

## **5** Firefighting measures

## · 5.1 Extinguishing media

· Suitable extinguishing agents:

Alcohol resistant foam

Foam

Fire-extinguishing powder

Carbon dioxide

Gaseous extinguishing agents

Water haze or fog

• For safety reasons unsuitable extinguishing agents:

Water with full jet

Water spray

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water fog or haze.

No further relevant information available.

#### 6 Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Keep away from ignition sources.
 Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

(Contd. on page 4)

GHS

Printing date 20.08.2013

Trade name: Ductmate 5511M

Revision: 04.02.2018

(Contd. of page 3)

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Organic solvent

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of dust.

Take note of emission threshold.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

| <ul> <li>Ingredients with limit values that require monitoring at the workplace:</li> </ul> |  |      |
|---|--|------|
| 1332-58-7 Kaolin  |  |      |
| PEL (USA)   | 15* 5** mg/m <sup>3</sup><br>*total dust **respirable fraction |      |
| REL (USA)   | 10* 5** mg/m <sup>3</sup><br>*total dust **respirable fraction |      |
| TLV (USA)   | 2* mg/m <sup>3</sup><br>E; as respirable fraction              |      |
| EL (Canada)   | 2 mg/m³  |      |
|   | (Contd. on page  | e 5) |

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

| EV (Callaua)  |   |
|---|---|
| , ,   | 2(D) mg/m <sup>3</sup><br>respirable  |
| 44909 60 7 6  | uartz (non-respirable forms only)   |
|   |   |
| PEL (USA)   | see Quartz listing  |
| REL (USA)   | 0,05* mg/m <sup>3</sup><br>*respirable dust; See Pocket Guide App. A  |
| TLV (USA)   | 0,025* mg/m³<br>*as respirable fraction   |
| EL (Canada)   | 0,025 mg/m³<br>ACGIH A2; IARC 1   |
| EV (Canada)   | 0,10* mg/m³<br>*respirable fraction   |
| DNELs No fu   | rther relevant information available.   |
| PNECs No fu   | rther relevant information available.   |
| Additional in   | formation: The lists valid during the making were used as basis.  |
| The usual pre   |   |
| Keep away fr<br>Immediately<br>Wash hands<br>Do not inhale<br><b>Respiratory</b><br>Not necessar<br>Use respirator<br>For spills, res<br>Use suitable<br>NIOSH appro<br><b>Protection o</b><br>The glove ma<br>Due to miss  | y if room is well-ventilated.<br>ry protection when grinding or cutting material.<br>piratory protection may be advisable.<br>respiratory protective device in case of insufficient ventilation.<br>wed organic vapor respirator equipped with a dust/mist prefilter should be used.<br><b>f hands:</b><br>Iterial has to be impermeable and resistant to the product/ the substance/ the preparation.<br>ing tests no recommendation to the glove material can be given for the product/ t   |
| Keep away fr<br>Immediately Wash hands<br>Do not inhale<br><b>Respiratory</b><br>Not necessar<br>Use respirator<br>For spills, res<br>Use suitable<br>NIOSH appro<br><b>Protection o</b><br>The glove ma<br>Due to miss<br>preparation/ t<br>Selection of<br>degradation.   | om foodstuffs, beverages and feed.<br>emove all soiled and contaminated clothing.<br>before breaks and at the end of work.<br>gases / fumes / aerosols.<br>protection:<br>y if room is well-ventilated.<br>ry protection when grinding or cutting material.<br>piratory protection may be advisable.<br>respiratory protective device in case of insufficient ventilation.<br>vved organic vapor respirator equipped with a dust/mist prefilter should be used.<br>f hands:<br>tterial has to be impermeable and resistant to the product/ the substance/ the preparation.<br>ing tests no recommendation to the glove material can be given for the product/ the<br>he chemical mixture.<br>the glove material on consideration of the penetration times, rates of diffusion and t |
| Keep away fr<br>Immediately i<br>Wash hands<br>Do not inhale<br><b>Respiratory</b><br>Not necessar<br>Use respirato<br>For spills, res<br>Use suitable<br>NIOSH appro<br><b>Protection o</b><br>The glove ma<br>Due to miss<br>preparation/ f<br>Selection of<br>degradation.<br><b>Material of g</b><br>The selection<br>quality and<br>substances, f<br>checked prior | om foodstuffs, beverages and feed.<br>emove all soiled and contaminated clothing.<br>before breaks and at the end of work.<br>gases / fumes / aerosols.<br>protection:<br>y if room is well-ventilated.<br>ry protection when grinding or cutting material.<br>piratory protection may be advisable.<br>respiratory protective device in case of insufficient ventilation.<br>vved organic vapor respirator equipped with a dust/mist prefilter should be used.<br>f hands:<br>tterial has to be impermeable and resistant to the product/ the substance/ the preparation.<br>ing tests no recommendation to the glove material can be given for the product/ the<br>he chemical mixture.<br>the glove material on consideration of the penetration times, rates of diffusion and t |

Printing date 20.08.2013

Revision: 04.02.2018

#### Trade name: Ductmate 5511M

(Contd. of page 5)

#### • Eye protection:



Safety glasses

• Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

# 9 Physical and chemical properties

| General Information<br>Appearance: |   |  |
|------------------------------------|---|--|
| Form:                              | Viscous                                       |  |
| Colour:                            | Whitish                                       |  |
| Odour:                             | Solvent-like                                  |  |
| Odour threshold:                   | Not determined.                               |  |
| pH-value:                          | Not determined.                               |  |
| Change in condition                |   |  |
| Melting point/Melting range:       | Undetermined.                                 |  |
| Boiling point/Boiling range:       | Undetermined.                                 |  |
| Flash point:                       | >200 °F / >94 °C                              |  |
| Flammability (solid, gaseous):     | Not applicable.                               |  |
| Ignition temperature:              | Not determined.                               |  |
| Decomposition temperature:         | Not determined.                               |  |
| Self-igniting:                     | Product is not self-igniting.                 |  |
| Danger of explosion:               | Product does not present an explosion hazard. |  |
| Explosion limits:                  |   |  |
| Lower:                             | Not determined.                               |  |
| Upper:                             | Not determined.                               |  |
| Vapour pressure:                   | Not determined.                               |  |
| Density at 20 °C:                  | 1,65 g/cm <sup>3</sup>                        |  |
| Relative density                   | Not determined.                               |  |
| Vapour density                     | Not determined.                               |  |
| Evaporation rate                   | Not determined.                               |  |

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

|                                      |  | (Contd. of page 6 |
|--------------------------------------|--|-------------------|
| · Solubility in / Miscibility with   |  |                   |
| water:                               | Not miscible or difficult to mix.          |                   |
| · Partition coefficient (n-octanol/w | ater): Not determined.                     |                   |
| · Viscosity:                         |  |                   |
| Dynamic:                             | Not determined.                            |                   |
| Kinematic:                           | Not determined.                            |                   |
| · Solvent content:                   |  |                   |
| VOC (US EPA Method 24)               | <155 g/L                                   |                   |
| 9.2 Other information                | No further relevant information available. |                   |

#### 10 Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids.

• 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

#### **11** Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

Primary irritant effect:

• on the skin: Slight irritant effect on skin and mucous membranes.

• on the eye: Slight irritant effect on eyes.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

#### **12 Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: The product contains materials that are harmful to the environment.

(Contd. on page 8)

GHS

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

(Contd. of page 7) • **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · Ecotoxical effects: · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur. The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen. · Additional ecological information: · General notes: This statement was deduced from products with a similar structure or composition. Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 12.5 Results of PBT and vPvB assessment • **PBT:** Not applicable. · **vPvB:** Not applicable. · 12.6 Other adverse effects No further relevant information available. 13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Solvent naphtha

| · 14.1 UN-Number                  |     |  |
|-----------------------------------|-----|--|
| DOT, ADR, ADN, IMDG, IATA         | N/A |  |
| · 14.2 UN proper shipping name    |     |  |
| · DOT, ADR, ADN, IMDG, IATA       | N/A |  |
| · 14.3 Transport hazard class(es) |     |  |
| DOT, ADR, ADN, IMDG, IATA         |     |  |
| Class                             | N/A |  |
| 14.4 Packing group                |     |  |
| DOT, ADR, IMDG, IATA              | N/A |  |

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

|   |                 | (Contd. of page 8) |
|---|-----------------|--------------------|
| · 14.5 Environmental hazards:             |                 |                    |
| · Marine pollutant:                       | No              |                    |
| · 14.6 Special precautions for user       | Not applicable. |                    |
| · 14.7 Transport in bulk according to Ann | ex II of        |                    |
| MARPOL73/78 and the IBC Code              | Not applicable. |                    |
| · UN "Model Regulation":                  | -               |                    |

#### **15 Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

#### • TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

#### · Chemicals known to cause cancer:

Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied.

Reference to Titanium Dioxide is based on unbound respirable particles and is not generally applicable to product as supplied.

14808-60-7 quartz (non-respirable forms only)

13463-67-7 titanium dioxide

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### • Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

#### • EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · IARC (International Agency for Research on Cancer)

14808-60-7 quartz (non-respirable forms only)

13463-67-7 titanium dioxide

(Contd. on page 10)

1

2B

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

|   |   | (Contd. of page 9)     |
|---|---|------------------------|
| · TLV (Thre                                 | eshold Limit Value established by ACGIH)  |                        |
| 1332-58-                                    | 7 Kaolin  | A4                     |
| 14808-60-                                   | 7 quartz (non-respirable forms only)  | A2                     |
| 13463-67-                                   | 7 titanium dioxide  | A4                     |
| · NIOSH-Ca                                  | a (National Institute for Occupational Safety and Health)   |                        |
| 14808-60-                                   | 7 quartz (non-respirable forms only)  |                        |
| 13463-67-                                   | 7 titanium dioxide  |                        |
| · OSHA-Ca                                   | (Occupational Safety & Health Administration)   |                        |
| None of th                                  | ne ingredients is listed.   |                        |
| · Canada                                    |   |                        |
| · Canadian                                  | Domestic Substances List (DSL)  |                        |
| All ingredi                                 | ents are listed.  |                        |
| · Canadian                                  | Ingredient Disclosure list (limit 0.1%)   |                        |
| None of th                                  | e ingredients is listed.  |                        |
| · Canadian                                  | Ingredient Disclosure list (limit 1%)   |                        |
| 14808-60-                                   | 7 quartz (non-respirable forms only)  |                        |
| <sup>.</sup> 15.2 Cher                      | nical safety assessment: A Chemical Safety Assessment has not been ca   | rried out.             |
| 16 Other in                                 | formation   |                        |
|   | nation is based on our present knowledge. However, this shall not constitute<br>oduct features and shall not establish a legally valid contractual relationship   |                        |
|   | <b>phrases</b><br>nmable liquid and vapour.<br><sup>7</sup> be fatal if swallowed and enters airways.   |                        |
|   | ating to eyes.<br>mful: may cause lung damage if swallowed.   |                        |
| ADR: Accor<br>International<br>IMDG: Interr | t <b>ions and acronyms:</b><br>rd européen sur le transport des marchandises dangereuses par Route (European Ag<br>Carriage of Dangerous Goods by Road)<br>national Maritime Code for Dangerous Goods<br>partment of Transportation | reement concerning the |

DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) **Sources** SDS Prepared by: Chem Tel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Contd. on page 11)

Printing date 20.08.2013

Revision: 04.02.2018

Trade name: Ductmate 5511M

Website: www.chemtelinc.com

(Contd. of page 10)